

# INDEX MAPS.

## T. 19N, R. 9 W. 2<sup>nd</sup> Mer.

	80		80		80		79		79		79	
82	6	106	5	100	4	96	3	91	2	87	1	78
	<del>106</del>		<del>106</del>		<del>100</del>		<del>96</del>		<del>91</del>		<del>86</del>	
82	7	105	8	99	9	95	10	91	11	86	12	78
	<del>105</del>		<del>104</del>		<del>99</del>		<del>95</del>		<del>90</del>		<del>86</del>	
82	18	104	17	99	16	94	15	90	14	85	13	78
	<del>104</del>		<del>103</del>		<del>98</del>		<del>94</del>		<del>89</del>		<del>85</del>	
81	19	103	20	98	21	94	22	89	23	84	24	78
	<del>102</del>		<del>102</del>		<del>97</del>		<del>93</del>		<del>88</del>		<del>84</del>	
81	30	102	29	97	28	93	27	88	26	84	25	77
	<del>101</del>		<del>101</del>		<del>97</del>		<del>92</del>		<del>88</del>		<del>83</del>	
81	31	101	32	96	33	92	34	87	35	83	36	77
	<del>76</del>		<del>76</del>		<del>76</del>		<del>75</del>		<del>75</del>		<del>75</del>	

Meanders 107

Meanders 107

## T. 20N, R. 9 W. 2<sup>nd</sup> Mer.

	120		120		120		119		119		119	
122	6	145	5	139	4	135	3	131	2	126	1	118
	<del>145</del>		<del>144</del>		<del>139</del>		<del>135</del>		<del>135</del>		<del>126</del>	
122	7	144	8	138	9	134	10	130	11	126	12	118
	<del>144</del>		<del>143</del>		<del>138</del>		<del>134</del>		<del>129</del>		<del>125</del>	
121	18	143	17	138	16	133	15	129	14	125	13	118
	<del>142</del>		<del>142</del>		<del>137</del>		<del>133</del>		<del>129</del>		<del>124</del>	
121	19	142	20	137	21	133	22	128	23	124	24	117
	<del>141</del>		<del>141</del>		<del>136</del>		<del>132</del>		<del>128</del>		<del>124</del>	
121	30	141	29	136	28	132	27	127	26	123	25	117
	<del>140</del>		<del>140</del>		<del>136</del>		<del>131</del>		<del>127</del>		<del>123</del>	
121	31	140	32	135	33	131	34	127	35	123	36	117
	<del>116</del>		<del>116</del>		<del>116</del>		<del>115</del>		<del>115</del>		<del>115</del>	

Meanders 146

Township N. 20 North, Range N. 9 West 2. Mer. Ind.

Township Lines.

Chas. L. N. South Boundary. Var. 6° 40' E.

West on the S. Boundary of Sec. 36

October 14. 1819

40.00 set q. sec. post from which

a Poplar 14 in. dia. bears S 87° E 92 yds. dist. &

a B. Gum 27 ; ; ; N 50° W 86 ; ;

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 30 in. dia. bears N 75° E 25 yds. dist. &

a Do 18 ; ; ; S 27° W 34 ; ;

Level Oak & Hickory land of a good quality.

West on the S. Boundary of Sec. 35

39.28 set post on left bank of Wabash River from which

a Hackberry 12 in. dia. bears S 10° W 16 yds. dist. &

a Do 18 ; ; ; N 54° W 41 ; ;

a Maple 12 in. dia. stands 48 yds. N 82° W, the line crosses the North point of an Island about 4 feet in the Willow brush, the middle top line of a Sycamore on the right bank of the river, another Sycamore bears S 83° W. on the same side a burnt black Sycamore stump with 3 limbs bears N 76° 45' W. on right bank.

48.78 set post on right bank of Wabash R. from which

a Sycamore 30 in. dia. bears N 57° E 34 yds. dist. &

a Do 30 ; ; ; S 1° W 115 ; ;

79.98 set post cor. of sec. 34 & 35 from which

a W. Ash 9 in. dia. bears N 52° E 20 yds. dist. &

a B. Ash 14 ; ; ; N 64° W 38 ; ;

Low Prairie which overflows.

West on the S. Boundary of Sec. 34

0.20 a Spring branch 5 yds. wide course S.

40.00 set q. sec. post in Prairie & made a mound.

80.00 set post in Prairie corner of sec. 33 & 34 and made a mound.



T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>  
 Ch<sup>a</sup>. Sp<sup>a</sup>.

Prairie first rate land, dry & good for farming.

West on the S. Boundary of Sec. 33

30.00 passed Prairie

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears N 18 E 19 W. dist. 8

a Do 30 " " " N 82 W 49 " "

77.83 a Hickory 8 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

a Beech 18 in. dia. bears N 16 W 14 W. dist. 8

a B. Walnut 18 " " " S 47 E 15 " "

Land good 2<sup>d</sup> rate, timber Oak, Hickory, Sugar  
 Good farming land

West on the S. Boundary of Sec. 32

35.27 an Elm 20 in. dia.

40.00 set g. sec. post from which

a Maple 20 in. dia. bears N 86 E 29 W. dist. 8

an Elm 30 " " " N 49 W 39 " "

50.20 a Creek 30 W. wide centre S.

60.00 a Brook 3 " " " S E.

70.57 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 27 in. dia. bears N 87 E 41 W. dist. 8

a W. Oak 48 " " " S 71 W 21 " "

Good Oak & Hickory land, level & good for  
 farming.

West on the S. Boundary of Sec. 31

28.50 enter Prairie

40.00 set g. sec. post in Prairie & made a mound.

80.74 Intersect W. Boundary 813 W. N. of temp. post -  
 set post at intersection cor. of T. 19 & 20, R. 9 W.  
 from which

an Elm 30 in. dia. bears S 44 E 35 W. dist. 8

a B. Oak 9 " " " S 13 E 34 W " "

T. 20 N., R. 9 W. 2. Mer. Ind.  
Chas. L. P.

Prairie rich & good for farming.

East Boundary. Var. 6° 40' E.

North on the E. Boundary of Sec. 36

15.00 a Brook 8 lks. wide course NW

30.00 a Do 15 " " " NW

40.00 cut gr. sec. part from which

a S. Oak 9 in. dia. bears S 77° E 9 lks. dist. 8

an Elm 15 " " " S 65° W 20 " "

80.00 cut part cor. of sec. 25 & 36 from which

a Beech 27 in. dia. bears S 67° E 25 lks. dist. 8

a W. Ash 14 " " " S 66° W 8 " "

South 30 lks. land best of a good quality timber  
Oak & Hickory — North 50 lks. land very rich  
& good for farming, timber Beech, Sugar, Wal-  
nut, Oak, Ash, Lynn &c.

North on the E. Boundary of Sec. 25

40.00 cut gr. sec. part from which

a Hickory 12 in. dia. bears S 8° E 11 lks. dist. 8

a Do 9 " " " N 32° W 18 " "

68.00 a Brook 12 lks. wide course W.

80.00 cut part cor. of sec. 24 & 25 from which

a B. Walnut 14 in. dia. bears S 61° W 29 lks. dist. 8

a Lynn 12 " " " S 52° E 26 " "

Land 2. rate, timber Oak, Hickory, Elm, Lynn,  
Ash &c. middling farming land.

North on the E. Boundary of Sec. 24

October 15. 1819

40.00 cut gr. sec. part from which

an Elm 14 in. dia. bears S 25° W 25 lks. dist. 8

a W. Ash 9 " " " S 80° E 51 " "

80.00 cut part cor. of sec. 13 & 24 from which

a W. Oak 30 in. dia. bears S 65° E 8 lks. dist. 8

an Elm 9 " " " N 15° E 25 " "

T. 20 N., R. 9 W. 2<sup>d</sup>. Mer. Ind.<sup>u</sup>  
Chr. Lk.

Land rich & good for farming, timber Beech,  
Sugar, Ash, some Walnut, Poplar &c.

North on the E. Boundary of Sec. 13

40.00 set of sec. post from which

a Hickory 15 in. dia bears S 64 E 12 lbs. dist. 8

a Do 18 " " " S 86 W 16 " "

57.00 a creek 20 lbs. wide course W.

80.00 set post cor. of sec. 12 & 13 from which

a Poplar 12 in. dia bears S 19 E 15 lbs. dist. 8

an Ironwood 9 " " " N 39 W 12 " "

Land same

North on the E. Boundary of Sec. 12

35.00 enter wet swampy Prairie

40.00 set of sec. post from which

an Elm 12 in. dia bears S 36 E 348 lbs. dist.

(No other bearing tree)

55.00 passed Prairie

80.00 set post cor. of sec. 11 & 12 from which

a B. Oak 14 in. dia bears S 42 W 18 lbs. dist. 8

a Do 5 " " " N 24 E 30 " "

South half mile land same, North half  
mile thin Oak land & very brushy.

North on the E. Boundary of Sec. 1

28.02 set post on left bank of Wabash R. from which

a Maple 24 in. dia bears N 25 W 17 lbs. dist. 8

a Sycamore 36 " " " S 66 E 50 " "

Good Oak land

30.63 to the water's edge, a forked Sycamore bears

N 9 E. on right bank from this point East

143 lbs. from thence N 11 W. to point at

water edge a low forked Sycamore which  
is in the line

38.59 set post on right bank of Wabash R. from which

T. 20 N., R. 9 W., E. Mer. Ind<sup>a</sup>.

Chas. Dr.

a B. Walnut 30 in. dia. bears S 9 E 10 Vks. dist. &amp;

a Sugar 18 " " " N 19 W 19 " "

40.00 set gr. sec. post from which

a Hackberry 24 in. dia. bears S 30 E 23 Vks. dist. &amp;

a Buckeye 12 " " " S 83 W 28 " "

80.00 set temp. Township corner post—

(Description of land &amp; omitted)

## North Boundary. Var. 6° 40' E.

West on the S. Boundary of Sec. 36, T. 21 N., R. 9 W.

40.00 set gr. sec. post from which

a W. Oak 24 in. dia. bears S 35 W 27 1/2 Vks. dist. &amp;

a Hickory 9 " " " N 21 E 220 " "

61.40 a W. Oak 12 " "

80.00 set post cor. of sec. 35 &amp; 36 from which

a W. Oak 15 in. dia. bears N 29 E 18 Vks. dist. &amp;

a Do 12 " " " S 48 W 25 " "

Land of a middling quality, timber Oak

West on the S. Boundary of Sec. 35, T. 21 N., R. 9 W.

2.00 a Brook 15 Vks. wide course S.

20.80 a Sugar 12 in. dia.

40.00 set gr. sec. post from which

a W. Oak 30 in. dia. bears S 42 W 25 Vks. dist. &amp;

a Do 30 " " " N 30 W 58 " "

42.50 a Brook 10 Vks. wide course S.

60.69 a W. Ash 12 in. dia.

80.00 set post cor. of sec. 34 &amp; 35 from which

a Hickory 18 in. dia. bears West 42 Vks. dist. &amp;

a Do 12 " " " N 13 E 32 " "

Land of a middling quality, part broken

West on the S. Boundary of Sec. 34, T. 21 N., R. 9 W.

21.17 a W. Oak 27 in. dia.

40.00 set gr. sec. post from which

a Sugar 12 in. dia. bears N 32 E 52 Vks. dist. &amp;



T. 20 N., R. 9 W. 2. Mer. Ind. a.  
Chr. Lks.

a Beech 14 in. diam bears S 13 E 50 lbs. dint.  
60.00 a Brook 8 lbs. wide curve S.  
60.73 a Sugar 9 in. diam.  
80.00 set part cor. of sec. 33 & 34 from which  
a Beech 20 in. diam bears N 32 W 53 lbs. dint. &  
a Sugar 12 " " " S 20 E 43 " "  
Good farming land, timber Beech, Oak,  
Sugar, Walnut. Part broken

West on the S. Boundary of Sec. 33, T. 21 N., R. 9 W.  
23.57 a W. Oak 9 in. diam.

40.00 set q. sec. part from which  
a Sugar 20 in. diam bears S 43 E 13 lbs. dint. &  
a Lr 12 " " " N 12 W 12 " "

61.32 an Elm 14 " "

80.00 set part cor. of sec. 32 & 33 from which  
a B. Walnut 12 in. diam bears N 35 W 20 lbs. dint.  
a Hickory 18 " " " S 18 W 35 " "  
Land same

West on the S. Boundary of Sec. 32, T. 21 N., R. 9 W.  
40.00 set q. sec. part from which

a W. Oak 24 in. diam bears N 39 W 10 lbs. dint. &  
a Lr 18 " " " S 39 E 42 " "

62.15 a Lr 36 " "

80.00 a Creek 40 lbs. wide curve S. cor. of sec.  
31 & 32 in Creek, a pile of stones for corner  
from which  
a Jack Oak 10 in. diam bears S 30 E 36 lbs. dint. &  
a Cottonwood 6 " " " N 40 W 45 " "  
Land same.

West on the S. Boundary of Sec. 31, T. 21 N., R. 9 W.  
19.61 a W. Oak 27 in. diam.

40.00 set q. sec. part from which  
a W. Ash 12 in. diam bears S 38 W 17 lbs. dint. &

Curve?



T. 20 N., R. 9 W. 2. Mer. Ind. Co.  
Chas. Spr.

a Sugar 27 in. dia bears N 41 W 56 lks. dist.  
77.37 Intersect W. Boundary 371 lks. S. of temp. post -  
set post at intersection cor. of T. 20 & 21 N., R. 9 & 10  
W. from which  
a B. Oak 10 in. dia bears N 69 W 26 lks. dist. S  
a W. Oak 9 " " " S 9 E 13 " "  
Land same.

West Boundary. Var. 6° 45' E.  
North on the E. Boundary of Sec. 36, T 20 N., R 10 W  
July 3, 1820  
40.00 set of sec. post in Prairie and made a mound  
80.00 set post cor. of sec. 25 & 36 in Prairie and made  
a mound.  
Land level rich & good for farming.

North on the E. Boundary of Sec. 25, T 20 N., R 10 W  
40.00 set of sec. post in Prairie & made a mound  
80.00 set post in Prairie cor. of sec. 24 & 25 from which  
a A. Oak 30 in. dia bears S 1 E 308 lks. dist. S  
a W. Oak 30 " " " N 78 E 562 " "  
Land same

North on the E. Boundary of Sec. 24, T 20 N., R 10 W  
40.00 set of sec. post in Prairie from which  
a W. Oak 30 in. dia bears N 37 W 226 lks. dist. S  
(No other Bearing tree)  
75.00 passed Prairie  
80.00 set post cor. of sec. 13 & 24 from which  
a W. Oak 30 in. dia bears N 73 E 58 lks. dist. S  
a B. Walnut 30 " " " N 11 E 215 " "  
Land similar, some small Islands of thickets.

North on the E. Boundary of Sec. 13, T 20 N., R 10 W  
20.00 enter same Prairie  
25.00 passed it

T. 20 N., R. 9 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. Sk.

40.00 set of sec. part from which

a B. Walnut 12 in. dis bears N 66° W 11 lbs. dist. 8

a W. Oak 18 " " " S 30° W 12 " "

66.00 a W. Oak 18 " "

80.00 set part cor. of sec. 12 & 13 from which

a Hickory 10 in. dis bears S 10° W 22 lbs. dist. 8

a Sugar 30 " " " N 23° E 49 " "

Land 1/2 rate, timber Oak, Walnut & Sugar

North on the E. Boundary of Sec. 12, T. 20 N., R. 10 W.

28.80 a W. Oak 36 in. dis.

40.00 set of sec. part from which

a Hickory 15 in. dis bears N 78° W 25 lbs. dist. 8

a W. Ark 27 " " " S 80° E 21 " "

27.35 a W. Oak 20 " "

80.00 set part cor. of sec. 1 & 12 from which

a W. Oak 27 in. dis bears N 45° E 49 lbs. dist. 8

an Elm 15 " " " S 16° W 68 " "

Rich Oak & Hickory land, level & good for farming.

North on the E. Boundary of Sec. 1, T. 20 N., R. 10 W.

23.10 an Elm 9 in. dis.

40.00 set of sec. part from which

a Hickory 24 in. dis bears S 35° E 66 lbs. dist. 8

a W. Oak 20 " " " N 40° E 149 " "

80.00 set temp. Township corner part

Land similar, part barren.

William Harris

Dep. Surveyor.

[This last Boundary, e. i. the E. Boundary of T. 20 N., R. 10 W. was re-surveyed by the Surveyor General of Illinois, by which re-survey the corners were altered. His survey was adopted by this office, together with the subdivision of the same Township. C. W.]

T. 20 N., R. 9 W. 2. Mer. Ind.  
Chas. Elk.

Subdivision. Var. 7° 20' E.

North between Secs. 35 & 36

23.32 a W. Oak 24 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia. bears N 76° W 28 lks. dist. &

a Do 12 " " " N 30 E 4 " "

48.53 a Do 28 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Bur Oak 16 in. dia. bears N 33 E 108 lks. dist. &

a Sugar 24 " " " S 26° W 100 " "

Land level 2<sup>d</sup> rate, timber Oak, Hickory & Sugar

Upr. Shrubs & Brambles. Friday, Dec. 27, 1820

East on Random between Secs. 25 & 36

40.00 set temp. of sec. post

80.02 Intersect E. Boundary 106 lks. N. of post -

Land level, first half mile 3<sup>d</sup> rate brushy Barrens,

last half mile 2<sup>d</sup> rate, timber Oak, Hickory &  
Beech & some Sugar

West Connected between Secs. 25 & 36

40.01 set of sec. post at aver. dist. from which

a Sugar 30 in. dia. bears S 62 E 87 lks. dist. &

a B. Oak 36 " " " N 51° W 115 " "

80.02 to sec. cor.

North between Secs. 25 & 26

14.94 a Hickory 15 in. dia.

40.00 set of sec. post from which

a W. Oak 20 in. dia. bears N 81 E 23 lks. dist. &

a B. Oak 28 " " " N 19° W 44 " "

55.58 a W. Oak 36 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Bur Oak 24 in. dia. bears S 53° W 153 lks. dist. &

a B. Oak 24 " " " S 85 E 217 " "

Land level 2<sup>d</sup> rate brushy Barrens, Oak gums

T. 20 N., R. 9 W. 2? Mer. Ind.<sup>a</sup>  
 Chs. Sp.

very thick. Timber Oak & Hickory.

East on Random between Sec. 24 & 25

10.00 enter timbered land

33.97 a Brook 3 M. wide course N.

40.00 set temp. of sec. post

79.87 Intersect E. Boundary 34 M. S. of post—  
 Land level State, timber Oak, Ash, Hickory,  
 Poplar & Beech

West Corrected between Sec. 24 & 25

39.93½ set of sec. post at av. dist. from which  
 a Poplar 30 in. diam. S 44° W 52 M. dist. S  
 a B. Oak 40 " " " N 12° W 42 " "

79.87 to sec. cor.

North between Sec. 23 & 24

33.22 a B. Walnut 20 in. dia.

40.00 set of sec. post from which

a Bur Oak 24 in. diam. N 8° E 38 M. dist. S

a Do 28 " " " S 9° W 84 " "

54.50 a B. Oak 15 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Bur Oak 20 in. diam. N 26½° E 99 M. dist. S

a Do 24 " " " N 71° W 28 " "

Land level State Barrens, Oak grubs & Sumac  
 Timber Oak & some Walnut

East on Random between Sec. 13 & 24

24.50 leave Barrens

40.00 set temp. of sec. post

70.20 a Brook 12 M. wide course NW

80.50 Intersect E. Boundary 25 M. S. of post—

Land level State, timber Oak, Poplar, Sugar,  
 Walnut & Hickory.



*T. 20 N., R. 9 W. 2. Mer. Ind.*  
*Chs. Sh.*

West Connected between Sec. 13 & 24

40.25 set g. sec. post at aver. dint. from which  
 a W. Oak 30 in. dia. bears N 47° W 39 Ws. dint. 8  
 a Sugar 20 " " " S 51½° E 24 " "  
 80.50 to sec. cor. Saturday, October 28, 1820

---

North between Sec. 13 & 14

7.39 a Bur Oak 20 in. dia.  
 39.00 leave Barrens & enter Bottom  
 40.00 set g. sec. post from which  
 a Hackberry 24 in. dia. bears N 15° E 47 Ws. dint. 8  
 a Do 15 " " " S 27° W 13 " "  
 53.50 a Do 24 " "  
 60.00 enter Hazel thicket of Highland  
 72.00 enter Bottom  
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
 a Bur Oak 30 in. dia. bears N 86° E 89 Ws. dint. 8  
 a Walnut 27 " " " S 59° W 5 " "  
 Sand level S. rate, timber Oak, Sugar, Hackberry,  
 Walnut & Hickory. Upr. Oak & Hazel shrubs  
 very thick

---

East on Random between Sec. 12 & 13

36.25 a Brook 50 Ws. wide course SW  
 40.00 set temp. g. sec. post  
 49.00 a Brook 20 Ws. wide course NW  
 80.16 Intersect E. Boundary 81 Ws. S. of post —  
 Sand level S. rate, timber Oak, Hickory, Buck-  
 eye, Hackberry & Sugar

---

West Connected between Sec. 12 & 13

40.08 set g. sec. post at aver. dint. from which  
 a Sugar 16 in. dia. bears N 35° W 3 Ws. dint. 8  
 a Do 9 " " " S 77° E 12 " "  
 80.16 to sec. cor.

---



## T. 20 N., R. 9 W. 2. Mer. Ind.

Chs. Cr.

North between Sec. 11 &amp; 12

5.00 leave Bottom & enter Bramble thicket & Barrens,  
28.70 a W. Oak 36 in. dia.40.00 set gr. sec. post from which  
a W. Oak 30 in. dia. bears N 27 1/2 E 98 Yds. dist. &  
a Do 30 " " " S 40 W 140 " "

55.70 a Do 30 " "

64.00 enter Bottom

75.95 Intersect River

80.00 set post in River corner of Sec. 1, 2, 11 & 12 from which  
a Willow in water mark 14 in. dia. bears East 29 1/4  
Yds. dist. & a Maple in water mark 15 in. dia. bears  
S 11 E 31 1/2 Yds. dist.Land level, first half mile Barrens 3. rate,  
last half mile 2. rate, timber Oak, Hickory, Sugar  
& Poplar.

East on Random between Sec. 11 &amp; 12

3.14 leave water mark

25.00 leave Bottom

40.00 set temp. gr. sec. post

80.38 Intersect E. Boundary 58 Yds. S. of post—

Land level, first half mile rich, last half mile  
2. rate, timber Oak, Hickory, Wgs. shrubs.

West Corrected between Sec. 11 &amp; 12

40.19 set gr. sec. post at aver. dist. from which  
a W. Oak 24 in. dia. bears N 73 W 59 Yds. dist. &  
a Do 22 " " " S 58 E 63 " "

80.38 to sec. cor. October 29. 1820

North between Sec. 11 &amp; 12

8.3 1/2 distance from post in River to bank across the  
same

18.00 a Small Oak 24 in. dia.

40.00 set gr. sec. post from which

T. 20 N., R. 9 W. 2. Mer. Indk.  
Chs. 300

a Sugar 30 in. dia. bears S 83 E 7 1/2 M. dist. 4  
a Hickory 6 " " " N 72 W 25 1/2 " "

44.00 leave Bottom

49.80 a Sugar 20 in. dia.

71.00 to a creek 50 M. wide corner NW. Pines on bank

79.12 Intersect N. Boundary 91 M. E. of port -

Set post at intersection cor. of sec. 1 & 2 from which

a W. Oak 13 in. dia. bears S 64 W 32 M. dist. 8

a Spr 18 " " " S 69 E 11 " "

Land broken 3/4 rate, timber Oak & Hickory, some  
W. Pine

North between Secs. 34 & 35

40.00 set g. sec. post and raised around no Bearings

80.00 set post cor. of sec. 20, 27, 34 & 35 from which

a B. Walnut 42 in. dia. bears N 67 1/2 E 84 1/4 M. dist.

a B. Oak 54 " " " N 16 W 97 1/2 " "

Prairie level sweet

East on Random between Secs. 20 & 35

20.40 Intersect River

35.38 distance across the river

40.00 set temp. g. sec. post

42.00 enter Prairie

57.00 leave Prairie & enter Woodland

80.80 Intersect N. S. line 105 M. N. of post -

Land level, Prairie rich sweet, Woodland 2/3  
rate, timber Oak & Hickory. Ugly. Shrubs

West Carried between Secs. 20 & 35

40.40 set g. sec. post at aver. dist. from which

a Walnut 5 in. dia. bears S 25 E 33 M. dist. 8

a Hackberry 15 " " " S 89 W 92 " "

80.80 to sec. cor. - Monday, October 30. 1820

North between Secs. 20 & 27

## T. 20 N., R. 9 W. 2. Mer. Ind. a

Chas. Geo.

14.14 Intersect River  
 22.40 distance across the river  
 39.00 at B. Oak 16 in. dia.  
 40.00 set gr. sec. post from which  
     an Ash 14 in. dia. bears N 68 E 28 Ws. dist. 8  
     a Spr 12 " " " S 54 W 35 " "  
 45.00 at Brook 12 Ws. wide course SE  
 51.00 leave Bottom  
 57.20 at Bur Oak 24 in. dia.  
 67.60 enter Bottom  
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
     an W. Oak 14 in. dia. bears N 50 E 23 Ws. dist. 8  
     an Elm 10 " " " S 85 W 16 " "  
 Sand level, Bottom rich but subject to overflow-  
 ing, Upland 3<sup>d</sup> rate, timber Maple, Elm, Wal-  
 nut & Oak

---

 East on Random between Sec. 23 & 26

20.00 enter Swamp  
 28.00 leave Swamp & enter Barrens  
 40.00 set temp. gr. sec. post  
 79.94 Intersect N. S. line 190 Ws. N. of post—  
 Sand level 3<sup>d</sup> rate, timber Oak, Hickory & Maple

---

 West Connected between Sec. 23 & 26

39.97 set gr. sec. post at aver. dist. from which  
     a B. Oak 30 in. dia. bears S 46 W 41 Ws. dist. 8  
     a B. Oak 30 " " " N 1 W 60 " "  
 79.94 to sec. cor.

---

 North between Sec. 22 & 23

13.00 at Brook 57 Ws. wide course SN  
 33.63 at W. Oak 24 in. dia.  
 40.00 set gr. sec. post from which  
     an W. Oak 20 in. dia. bears N 62 E 4 Ws. dist. 8  
     a Spr 18 " " " N 24 W 38 " "

## T. 20 N., R. 9 W. 2. Mer. Ind.

Exp. Exp.

54.00 enter Prairie

80.00 set post cen. of sec. 14, 15, 22 & 33 raised a mound  
no Bearing trees.Land first half mile E. rate, Prairie level & rich  
& very dry. Timber Oak & Hickory.

East on Random between Sec. 14 &amp; 23

28.50 leave Prairie &amp; enter Bramble thickets

40.00 set temp. gr. sec. post

44.00 enter wet Prairie

62.00 enter timbered land

80.04 Intersect N. &amp; S. line 192 W. N. of post -

Land Prairie first rich level last Prairie  
wet Timbered land E. rate, timber Oak

West Corrected between Sec. 14 &amp; 23

40.02 set gr. sec. post at aver. dist. from which

a W. Oak 24 in. dia. bears N 57° W 176 W. dist. 3

a B. Oak 30 " " " S 85° W 351 " "

80.04 to sec. cen.

North between Sec. 14 &amp; 15

40.00 set gr. sec. post &amp; raised mound, no Bearings

62.00 enter timbered land

68.26 a Red Oak 30 in. dia.

80.00 set post cen. of sec. 10, 11, 14 &amp; 15 from which

a W. Oak 24 in. dia. bears N 51° W 77 W. dist. 3

a D. 24 " " " S 51° E 110 " "

Land Prairie generally rolling & rich,  
Woodland rolling E. rate, timber Oak  
Tuesday, October 31, 1820

East on Random between Sec. 11 &amp; 14

31.00 enter Prairie

40.00 set temp. gr. sec. post

46.00 enter timbered land



## T. 20 N., R. 9 W. 2. Mer. Ind. 4

Ch. Lk.

75.00 enter Bottom

80.25 Intersect N.E. line 220 Yds. N. of post —  
 Sand Prairie level rich, timbered land  
 rolling P. rate. Timber Oak, Hickory, in Bottom  
 some Walnut

West Corrected between Sec. 11 &amp; 14

40.12 1/2 cut gr. sec. post at aver. dist. & raised a mound  
 no bearing trees

80.25 to sec. cor.

North between Sec. 10 &amp; 11

11.50 enter Prairie

34.00 enter timbered land

40.00 cut gr. sec. post from which  
 a Hackberry 20 in. dia. bears West 11 Yds. dist. &  
 an Elm 18 " " " S 67° E 37 " "

44.17 Intersected River

54.10 distance across the river 99 Yds.

65.00 leave River bottom timber land

67.28 a Hickory 13 in. dia.

80.00 cut post cor. of sec. 2, 3, 10 & 11 from which  
 an Ash 6 in. dia. bears N 50° W 27 Yds. dist. &  
 a Spruce 8 " " " S 59° E 14 " "

Sand Prairie rolling, rich, Bottom rich,  
 Upland P. rate, timber Oak, Ash, Sugar & Beech &c.

East on Random between Sec. 2 &amp; 11

6.20 a Brook 20 Yds. wide course S E

20.00 enter Bottom

40.00 cut temp. gr. sec. post

72.50 Intersected River

80.10 Intersect N.E. line 234 Yds. N. of post —

Sand Bottom rich, timbered land P. rate, timber  
 Oak, Walnut, Ash & Elm



T. 20 N., R. 9 W. 2, Mer. Ind.<sup>a</sup>

Obs. Sk?

West Connected between Sec. 2 &amp; 11

40.05 set g. sec. post at aver. dist. from which  
 an Elm 24 in. dia. bears S 82° W 45 lbs. dist. 8  
 a Do 12 " " " N 31° E 6 " "  
 80.10 to sec. cor.

North between Sec. 2 &amp; 3

1.00 at Brook 15 lbs. wide course E  
 13.76 a Poplar 20 in. dia.  
 17.35 at Brook 20 lbs. wide course SE, at which a  
 coal bank  
 40.00 set g. sec. post from which  
 a Hickory 3 in. dia. bears N 29° W 7 lbs. dist. 3  
 a Do 10 " " " S 28° E 12 " "  
 Wednesday, November 1, 1820  
 51.50 at Bank of Coal  
 57.40 at W. Oak 24 in. dia.  
 77.63 Intersect N. Boundary 138 lbs. E. of post -  
 set post at intersection cor. of sec. 2 & 3 from which  
 a W. Oak 36 in. dia. bears N 3° E 43 lbs. dist. 3  
 a Do 36 " " " S 15° W 40 " "  
 Land broken 3/4 rate, timber Oak & Hickory.

North between Sec. 33 &amp; 34

At a mound in Prairie

40.00 set g. sec. post and raised a mound, no  
 bearing trees.  
 80.00 set post cor. of sec. 27, 28, 33 & 34 raised a  
 mound, no bearing trees.  
 Land Prairie, level, rich, dry

East or Random between Sec. 27 &amp; 34

40.00 set temp. g. sec. post  
 44.00 enter a grove  
 62.00 enter low Prairie  
 80.05 Intersect N. & S. line 38 lbs. N. of post -

## T. 20 N., R. 9 W. 2. Mer. Ind.

Chas. E. B.

Prairie rich, grove 2. rate, timber Oak & Hick-  
ory. Ugly shrubs

West Connected between Sec. 27 &amp; 34.

40.02 1/2 set gr. sec. post at aver. dist. & raise a mound  
no bearing trees

80.05 to sec. 34.

North between Sec. 27 &amp; 28

39.50 enter timbered land

40.00 set gr. sec. post from which

a B. Oak 30 in. dia. bears N 59 W 17 1/2 Mer. dist. 3

a Spr 30 " " " N 69 E 39 " "

59.00 enter River bottom

59.50 a W. Elm 30 in. dia.

64.40 Intersected River

77.34 distance across the river 12.94

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a Maple 36 in. dia. bears N 26 E 46 Mer. dist. 3

a Spr 30 " " " S 24 W 62 " "

Land level Prairie rich, timbered land

2. rate, timber Oak, Hickory, Maple, Walnut &amp;c.

East in Pradum between Sec. 22 &amp; 27

40.00 set temp. gr. sec. post

57.00 enter Swamp

64.45 a Brook 5 Mer. wide course

68.50 leave Swamp

81.34 Intersect N. S. line 201 Mer. S. of post -

Land bottom rich, timber Oak, Ash, Elm,

Walnut &amp; Hickory

West Connected between Sec. 22 &amp; 27

40.07 set gr. sec. post at aver. dist. from which

a Sweet Thorn 6 in. dia. bears N 67 W 50 1/2 Mer. dist.

a Spr Elm 54 " " " N 78 E 49 " "

T. 20 N., R. 9 W. 2<sup>d</sup>. Mer. Ind<sup>d</sup>.  
Chp. Chp?

81.34 to sec. cen.

North between Secs. 21 & 22

17.34 a W. Elm 30 in. dia.

40.00 set gr. sec. post from which

a Coffeenut 6 in. dia bears N 56° W 36 lbs. dist. 8

a Sugar 24 " " " S 18° E 44 " "

49.78 a Hackberry 4 " "

80.00 set post cen. of sec. 15, 16, 21 & 22 from which

a Buckeye 15 in. dia bears N 38° E 44 lbs. dist. 8

a Walnut 28 " " " S 64° W 12 " "

Land all Bottom rich & level, timber Hack-  
berry, Buckeye, Elm & Sugar

East on Rauden between Secs. 15 & 22

18.50 enter Prairie

33.00 enter thickened land & shrub thicket

40.00 set temp. gr. sec. post. Thursday, Nov. 2, 1820

50.00 enter Prairie

80.63 Intersect N. & S. line 23 1/2 lbs. S. of post —

Land first Prairie low, second Prairie  
high & rolling, thickened land rich, timber  
Oak, Ash, Elm & Sugar & Walnut

West Carried between Secs. 15 & 22

40.31 set gr. sec. post at aver. dist. from which

a B. Oak 6 in. dia bears N 49° W 34 lbs. dist. 8

a S. 4 " " " S 66° E 24 " "

80.63 1/2 to sec. cen.

North between Secs. 15 & 16

2.50 a Sugar 15 in. dia.

7.23 Intersect River

22.29 distance across the River 15.06

40.00 set gr. sec. post from which

a B. Walnut 28 in. dia bears S 74° E 83 lbs. dist.

T. 20 N., R. 9 W., 2<sup>d</sup> Mer. Ind.

Elm Spr.

an Elm 36 in. dia. bears N 77° W 43 W. dist.

65.00 leave Bottom

67.50 a Sugar 36 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a Hickory 6 in. dia. bears N 52° E 8 W. dist. 8

a Do 5 " " " S 45° W 24 " "

Land Bottom rich & level, Upland broken 3<sup>d</sup>  
rate, timber Oak, Hickory, Buckeye, Sugar &  
Hackberry

East on Random between Sec. 10 &amp; 15

11.50 enter Bottom

40.00 set temp. of sec. post

41.04 Intersect River

51.86 distance across the river 10.22

70.86 enter Woodland

81.08 Intersect N &amp; S line 268 W. S. of post

Land Upland 3<sup>d</sup> rate, Bottom rich from the  
river to post Prairie mostly

West Connected between Sec. 10 &amp; 15

40.54 set of sec. post at aver. dist. from which

a Hackberry 15 in. dia. bears N 87° W 44 W. dist. 8

a B. Walnut 30 " " " S 44° E 35 " "

81.08 to sec. cor.

North between Sec. 9 &amp; 10

21.38 a Sugar 16 in. dia.

40.00 set of sec. post from which

a Hickory 8 in. dia. bears S 74° E 11 W. dist. 8

a W. Oak 28 " " " N 83° W 47 " "

55.03 a Blue Ash 24 in. dia.

80.00 set post cor. of sec. 3, 4, 9 &amp; 10 from which

a Hickory 8 in. dia. bears N 51° E 22 W. dist. 8

a R. Oak 18 " " " S 14° W 12 " "

Land very broken 3<sup>d</sup> rate, timber Oak, Hickory



T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind.

Chs. Sp.

&amp; Ash

East in Random between Sec. 3 &amp; 10

40.00 set temp. of sec. post

81.17 Intersect N. L. line 404 Ws. E. of post -

Land very broken 3<sup>d</sup> rate, timber Oaks Hickory

Friday, November 3, 1820

West Corrected between Sec. 3 &amp; 10.

40.58 1/2 set of sec. post at aver. dist. from which

a Hickory 14 in. diam bears S 22 W 34 Ws. dist. 8

a Do 12 " " " N 74 E 39 " "

81.17 to sec. cor.

North between Sec. 3 &amp; 4

1.30 a Brook 4 Ws. wide course SW

14.20 a W. Oak 30 in. dia.

36.60 a Brook 2 Ws. wide course SW. a Deer lick

40.00 set of sec. post from which

a Hickory 20 in. diam bears N 38 W 4 Ws. dist. 8

a W. Oak 18 " " " S 27 E 50 " "

50.25 a Hickory 18 " "

81.50 Intersect N. Boundary 175 Ws. E. of post -

set post at intersection cor. of sec. 3 &amp; 4 from which

a W. Oak 48 in. diam bears N 25 W 54 Ws. dist. 8

a R. Oak 12 " " " N 13 E 17 " "

Land first half mile broken 3<sup>d</sup> rate, last half level 2<sup>d</sup> rate, timber Oak, Hickory & Beech

North between Sec. 32 &amp; 33

1.50 a Brook 6 Ws. wide course SE

15.32 a W. Oak 24 in. dia.

40.00 set of sec. post from which

a Lynn 20 in. diam bears N 48 W 49 Ws. dist. 8

a W. Oak 24 " " " S 77 E 38 " "

50.77 a Hickory 14 " "



T. 20 N., R. 9 W., 2<sup>d</sup> Mer. Ind.

Chs. - Sk.

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 a W. Oak 16 in. dia. bears N 50 $\frac{1}{2}$  W 44 $\frac{1}{2}$  Ws. dist. 8  
 a R. Oak 20 " " " N 88 $\frac{1}{2}$  E 62 " "  
 Land broken 3<sup>d</sup> rate, timber Oak & Hickory  
 Upr. Shrubs

East cor. Random between Sec. 28 &amp; 33

40.00 set temp. gr. sec. post

52.00 enter Prairie

79.98 Intersect N & S. line 167 Ws. E. of post -  
 Land first half mile rolling, last half mile  
 level 3<sup>d</sup> rate, Prairie rich & level, timber  
 Oak & Hickory &c.

West Corner between Sec. 28 &amp; 33

39.99 set gr. sec. post at aver. dist. from which  
 a Post Oak 20 in. dia. bears N 46 $\frac{1}{2}$  W 50 $\frac{1}{2}$  Ws. dist.  
 a S. 18 " " " S 51 $\frac{1}{2}$  E 83 " "

79.98 to sec. cor.

North between Sec. 28 &amp; 29

16.50 a W. Oak 14 in. dia.

40.00 set gr. sec. post from which

a Hickory 22 in. dia. bears N 18 $\frac{1}{2}$  W 43 $\frac{1}{2}$  Ws. dist. 8

a R. Oak 28 " " " S 26 E 59 " "

49.86 a W. Oak 30 " "

50.50 a Brook 30 Ws. wide course E

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a W. Oak 24 in. dia. bears S 64 E 28 Ws. dist. 8  
 a R. Oak 30 " " " N 45 $\frac{1}{2}$  W 58 " "  
 Land broken 3<sup>d</sup> rate, timber Oak & Hickory  
 Upr. thick Oak & Sassafras shrubs

East cor. Random between Sec. 21 &amp; 28

36.42 a Brook 22 Ws. wide course N E.

40.00 set gr. sec. post from which (temp.)

T. 20 N., R. 9 W. 2. Mer. Ind.  
Chs. Lm.

07.50 enter River bottom

09.07 Intersect River Monday, Nov. 7, 1820

77.93 Intersect N. S. line 1180<sup>86</sup> Yds. N. of port -

79.99 Land first half mile broken 3<sup>d</sup> rate, last half  
2<sup>d</sup> rate, timber Oak & Hickory.

West Corrected between Sec. 21 & 28

39.99 set gr. sec. post at aver. dist. from which  
a R. Oak 20 in. diam bears S 36 E 36 Yds. dist. 8  
a Walnut 9 " " " N 39 W 36 " "

79.99 to sec. cor.

North between Sec. 20 & 21

12.75 a W. Oak 30 in. dia.

40.00 set gr. sec. post from which

a W. Oak 22 in. diam bears N 46 E 25 1/2 Yds. dist. 8

a Do 18 " " " S 32 W 60 " "

63.81 a Hickory 22 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a W. Oak 30 in. diam bears N 16 W 30 Yds. dist. 8

a Do 20 " " " South 8 " "

Land level 2<sup>d</sup> rate, timber Oak, Hickory & Beech

East on Random between Sec. 16 & 21

16.64 a Brook 8 Yds. wide course NW

37.50 enter Bottom

40.00 set temp. gr. sec. post

59.69 Intersect River

71.14 distance across the river 11.45

79.96 Intersect N. S. line 164 Yds. N. of post -

Land first half mile very broken 3<sup>d</sup> rate,  
timber Oak & Hickory - last half mile rich  
Bottom, timber Walnut, Hackberry & Buckeye

West Corrected between Sec. 16 & 21

39.98 set gr. sec. post at aver. dist. from which

T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chr. Gr.

a Bur Oak 10 in. dia. leans S 61° W 15 lbs. dist. 8

a Sugar 36 " " " S 32° E 44 " "

79.96 to sec. cor.

North between Sec. 16 &amp; 17

24.40 a Sycamore 24 in. dia.

25.50 a Brook 20 lbs. wide course NE

29.45 a Lu 8 " " " NE

40.00 set gr. sec. post from which

a Hickory 16 in. dia. leans N 23° E 37 lbs. dist. 8

a Poplar 22 " " " S 13½° W 8 " "

64.50 a Brook 100 lbs. wide course SE. and enter

Bottom

66.00 a Buckeye 8 in. dia.

78.00 leave Bottom

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 from which

a P. Oak 30 in. dia. leans N 31° E 24 lbs. dist.

a Lynn 12 " " " S 11° W 55 " "

Land broken, first half mile 3<sup>rd</sup> rate, last  
half mile 2<sup>nd</sup> rate, timber Oak, Hickory  
in Bottom Walnut, Buckeye & Elm

East on Random between Sec. 9 &amp; 16.

40.00 set temp. gr. sec. post

80.10 Intersect N. &amp; S. line 168 lbs. N. of post -

Land broken 3<sup>rd</sup> rate, timber Oak & Hickory  
Upr. shrubs

West Corrected between Sec. 9 &amp; 16

40.05 set gr. sec. post at aver. dist. from which

an Ash 6 in. dia. leans S 47° W 15 lbs. dist. 8

an Elm 24 " " " N 43° E 22 " "

80.10 to sec. cor.

North between Sec. 8 &amp; 9

20.77 a P. Oak 24 in. dia.

T. 20 N., R. 9 W. 2<sup>d</sup>. Mer. Ind.

Chs. 1<sup>st</sup>.

- 40.00 set of sec. post from which  
 a W. Oak 24 in. diam bears N 30° W 53 lbs. dist. 8  
 and Ironw. 8 " " " S 55° E 36 " "  
 72.00 a B. Ash 20 " "  
 80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
 a Lycamore 12 in. diam bears N 41° W 23 lbs. dist. 8  
 a Sugar 22 " " " S 40° E 30 " "  
 Land broken 3<sup>d</sup> rate, timber Oak, Hickory &  
 Sugar

East on Random between Sec. 4 & 9

- 36.90 a Brook 13 lbs. wide course S E  
 40.00 set temp. of sec. post. Wednesday, Nov. 9, 1820  
 61.00 a Brook 20 lbs. wide course S E  
 74.50 a Do 8 " " " S E  
 80.63 Intersect N & S. line 210 lbs. N. of post -  
 Land first half mile level 3<sup>d</sup> rate, last half  
 mile broken 3<sup>d</sup> rate, timber Oak & Hickory

West Connected between Sec. 4 & 9

- 40.31½ set of sec. post at aver. dist. from which  
 a Sugar 14 in. diam bears S 2° E 11 lbs. dist. 8  
 a Do 24 " " " North 35 " "  
 80.63 to sec. cor.

North between Sec. 4 & 5

- 5.20 a Brook 5 lbs. wide course S E  
 22.62 a W. Oak 24 in. diam.  
 40.00 set of sec. post from which  
 a Lync 42 in. diam bears S 85° E 32 lbs. dist. 8  
 a Hickory 15 " " " S 74° W 23 " "  
 53.60 a Do 12 " "  
 79.02 Intersect N. Boundary 238 lbs. E. of post -  
 set post at intersection cor. of sec. 4 & 5, from which  
 a Hickory 12 in. diam bears N 52½° W 12 lbs. dist. 8  
 a Sugar 15 " " " S 78° E 16 " "



T. 20 N., R. 9 W. 2. Mer. Ind. a

Ch. Ch.

Sand level 2<sup>d</sup> rate, timber Oak, Hickory,  
Sugar & Sycamore

North between Sec. 31 & 32

22.77 a Hickory 15 in. dia.

40.00 set of sec. part from which

a Hickory 5 in. dia. bears N 25 1/2 W 40 lbs. dist.

La Do 20 " " " S 24 W 34 " "

59.40 a B. Jack 12 " "

65.00 a Brook 40 lbs. wide course S E

80.00 set part cor. of sec. 29, 30, 31 & 32 from which

a W. Oak 15 in. dia. bears S 87 E 17 lbs. dist.

a Do 14 " " " S 78 W 24 " "

Sand level 2<sup>d</sup> rate, timber Oak, Hickory &  
B. Jack. Upr. Oak & Hazel shrubs

East on Random between Sec. 29 & 32

40.00 set temp. of sec. part

78.50 a Brook 6 lbs. wide course S.

79.83 Intersect N. S. line 30 lbs. N. of part—

Sand level 2<sup>d</sup> rate, timber Oak, Hickory  
& Maple. Upr. Oak shrubs & Berries

West Corrected between Sec. 29 & 32

39.91 1/2 set of sec. part at aver. dist. from which

a W. Oak 20 in. dia. bears S 82 1/2 E 23 lbs. dist.

a Hickory 12 " " " N 77 W 87 " "

79.83 to sec. cor. Thursday, Nov. 10, 1820

West between Sec. 30 & 31

1.50 a Brook 18 lbs. wide course S E

40.00 set of sec. part from which

a Hickory 6 in. dia. bears N 46 W 33 lbs. dist.

La Do 5 " " " S 31 E 20 " "

41.11 a B. Jack 4 " "

48.00 enter Prairie

T. 20 N., R. 9 W. 2, Mer. Ind.  
Chas. W.

80.92 Intersect W. Boundary 37 Ws. N. of point -  
set point at intersection cor. of sec. 30 & 31 and  
raised a mound

Land first half mile level 2<sup>d</sup> rate, last  
half mile rich Prairie, timber Oak, Hickory,  
S. B. Jack

North between Sec. 29 & 30

20.92 a W. Oak 30 in. dia.

40.00 set gr. sec. point from which  
a Hickory 13 in. dia. bears S 3 E 34 Ws. dist. 8  
a R. Oak 28 " " " N 5 W 76 " "

63.38 a Pin Oak 14 " "

80.00 set point cor. of sec. 19, 20, 29 & 30 from which  
an Elm 16 in. dia. bears N 31 W 5 Ws. dist. 8  
a Bur Oak 48 " " " S 53 E 21 " "

Land level 2<sup>d</sup> rate, timber Oak, Hickory, Ash  
& Elm. Upr. Hazel shrubs

East in Random between Sec. 28 & 29

40.00 set temp. gr. sec. point

79.62 Intersect N. S. line 44 Ws. N. of point

Land level 2<sup>d</sup> rate, timber Oak, Hickory,  
Ash. Upr. Shrubs

West Corrected between Sec. 20 & 29

39.81 set gr. sec. point at aver. dist. from which  
a W. Oak 36 in. dia. bears S 65 W 52 Ws. dist. 4  
a R. Oak 36 " " " N 41 E 14 " "

79.62 to sec. cor.

West between Sec. 19 & 30

10.37 an Elm 36 in. dia.

40.00 set gr. sec. point from which  
a B. Oak 36 in. dia. bears N 47 W 55 Ws. dist. 8  
an Elm 12 " " " S 58 E 82 " "

## T. 20 N., R. 9 W., S. 1 Mer. Ind. a

Elev. Elev.

48.47 a R. Oak 30 in. dia.

75.50 enter Prairie

80.84 Intersect W. Boundary 20 Ws. S. of point -  
 set point at intersection cor. of sec. 19 & 20 from  
 which a W. Oak 30 in. dia. bears N 69 E 600 Ws. dist. 8  
 a B. Jack 6 " " " S 67 W 225 " "  
 Land level 2<sup>nd</sup> rate, Prairie rich, timber Oak,  
 B. Jack, Hickory & Ash

North between Sec. 19 &amp; 20

12.00 a W. Elm 30 in. dia.

40.00 set g. sec. point from which  
 a R. Oak 32 in. dia. bears S 72 E 440 Ws. dist. 8  
 a B. Oak 30 " " " S 47 W 52 " "

68.17 a Post Oak 14 " "

80.00 set point cor. of sec. 17, 18, 19 & 20 from which  
 a W. Oak 24 in. dia. bears N 17 W 30 Ws. dist. 8  
 a B. Oak 18 " " " S 67 E 16 " "  
 Land level 2<sup>nd</sup> rate, timber Oak, Ash, Hick-  
 ory & B. Jack. Ws. Oak & Sapupass shrubs

East on Rauden between Sec. 17 &amp; 20

40.00 set temp. g. sec. point

53.75 a Brook 15 Ws. wide course NW

79.78 Intersect N. S. line 64 Ws. N. of point -  
 Land first half mile level <sup>2<sup>nd</sup> rate</sup>, last half  
 mile broken 3<sup>rd</sup> rate, timber Oak & Hickory

West Corrected between Sec. 17 &amp; 20

39.89 set g. sec. point at corner. dist. from which  
 a Sugar 24 in. dia. bears S 7 1/2 W 29 Ws. dist. 8  
 an Elm 16 " " " N 40 E 3 1/2 " "

79.78 to sec. cor.

West between Sec. 18 &amp; 19

12.02 a W. Oak 42 in. dia.

T. 20 N., R. 9 W. 2. Mer. Ind. &  
Ch. Lk.

40.00 set of sec. part from which  
at W. Elm 30 in. diameter N 23 W 31 Ws. dist. 8  
at Bur Oak 18 " " " S 30 E 30 " "  
63.65 at R. Oak 30 " "  
80.53 Intersect N. Boundary 17 Ws. N. of part—  
set part at intersection cor. of sec. 18 & 19 from which  
a Walnut 12 in. diameter N 14 E 146 Ws. dist. 8  
at Bur Oak 20 " " " East 50 " "  
Land level 2<sup>d</sup> rate, timber Oak & Hickory  
Friday, November 11, 1820

---

North between Sec. 17 & 18

8.04 at W. Oak 15 in. dia.  
13.00 at Brook 10 Ws. wide course S E  
40.00 set of sec. part from which  
a R. Oak 30 in. diameter N 24 E 29 Ws. dist. 8  
at W. Oak 27 " " " S 50 W 22 " "  
53.65 at Hickory 20 " "  
79.78 at Brook 4 Ws. wide course S E  
80.00 set part cor. of sec. 7, 8, 17 & 18 from which  
a Lynn 12 in. diameter N 79 W 27 Ws. dist. 8  
at W. Oak 23 " " " S 23 E 6 " "  
Land level 2<sup>d</sup> rate, timber Oak & Hickory.

---

East on Random between Sec. 8 & 17

15.00 at Brook 12 Ws. wide course S E  
40.00 set temp. of sec. part  
65.60 at Bottom  
67.30 at Brook 50 Ws. wide course S.  
78.30 leave Bottom  
80.08 Intersect N. & S. line 105 Ws. N. of part—  
Land broken 3<sup>d</sup> rate, timber Oak & Hickory

---

West Corrected between Sec. 8 & 17

40.04 set of sec. part at aver. dist. from which  
at W. Oak 26 in. diameter S 50 W 8 Ws. dist. 8



T. 20 N., R. 9 W. 2. Mer. Ind. a.  
Ch. L. M.

a W. Oak 30 in. diam bears N 87 E 42 lbs. dist.  
80.08 to sec. cor.

West between Sec. 7 & 18

12.81 a Hickory 18 in. diam.

40.00 set of sec. post from which

a Hickory 6 in. diam bears N 75 W 22 lbs. dist.

La Du 18 " " " S 65 E 18 " "

63.80 a Port Oak 18 " "

80.66 Intersect W. Boundary 122 lbs. S. of post -

set post at intersection cor. of sec. 7 & 18 from which

a B. Oak 30 in. diam bears N 80 W 43 lbs. dist. 23

a Bur Oak 42 " " " N 74 E 27 " "

Land level 2. rate, timber Oak, Hickory, Ash  
& Walnut. Saturday, Nov. 12, 1820

North between Sec. 7 & 8

13.33 a W. Oak 60 in. diam.

40.00 set of sec. post from which

a Sugar 12 in. diam bears N 21 E 62 lbs. dist. 3

a Beech 24 " " " S 34 W 32 " "

50.10 a B. Oak 72 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a B. Oak 7 in. diam bears N 47 W 13 lbs. dist. 8

a Hickory 8 " " " S 9 W 30 " "

Land level good 2. rate, timber Oak, Hickory,  
Sugar, Ash & Walnut

East on Random between Sec. 5 & 8

7.00 a Brook 22 lbs. wide corner S E

22.50 a Bottom

28.40 a Brook 35 lbs. wide corner S E

31.75 leave Bottom

40.00 set temp. of sec. post

42.10 a Brook 15 lbs. wide corner S W

78.00 a Du 5 " " " S E

Camp

T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind. a.  
Ch. Lk.

79.70 Intersect N & S. line 90 Yds. N. of port—  
Land broken 3<sup>d</sup> rate, timber Oak & Hickory

---

West Corrected between Sec. 5 & 8

39.85 at gr. sec. port at aver. dist. from which  
a W. Oak 20 in. dia. bears N 79° W 20 Yds. dist. 8  
a Do 24 " " S 49° W 31 " "

79.70 to sec. cor.

---

West between Sec. 6 & 7

4.40 at Brook 15 Yds. wide course NE

6.26 same Brook 40 Yds. wide course S. of E.

35.04 a W. Oak 24 in. dia.

40.00 at gr. sec. port from which  
a Spruce 12 in. dia. bears S 19° W 9 Yds. dist. 8  
a Post Oak 21 " " N 79° E 21 " "

48.47 a Do 18 " "

81.82 Intersect W. Boundary 210 Yds. S. of port—  
at port at intersection cor. of sec. 6 & 7 from which  
a W. Oak 24 in. dia. bears N 12½° E 74 Yds. dist. 8  
an Elm 28 " " S 42° W 71 " "  
Land first half mile broken 3<sup>d</sup> rate, last  
half mile level 2<sup>d</sup> rate, timber Oak, Hickory,  
Elm & Ash

---

North between Sec. 5 & 6

1.47 at Brook 19 Yds. wide course S. of E

15.12 a W. Oak 42 in. dia.

30.00 enter Bottom

40.00 at gr. sec. port from which  
a B. Ash 14 in. dia. bears S 47½° E 18 Yds. dist. 8  
an Ash 20 " " S 29° E 46 " "

41.50 leave Bottom

61.00 at Brook 60 Yds. wide course SW

67.67 a Sugar 12 in. dia.

79.07 Intersect N. Boundary 250 Yds. E. of port—

T. 20 N., R. 9 W., 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

set post at intersection cor. of sec. 5 & 6 from which  
 a N. Oak 22 in. diam. bears S 64° W 12 lks. dist. &  
 a R. Oak 30 " " " S 79° E 25 " "  
 Sand broken 3<sup>d</sup> rate, timber Oak &  
 November 20, 1820

Meanders of Wabash River. Right bank down  
 stream. Beginning at post in E. Boundary, thence:

Courses & Dist.	Remarks.
S 81° W 8.27	In Sec. 1
S 75° W 9.26	
S 85° W 4.18	
S 70° W 7.50	to the mouth of a Creek 75 lks. wide course NW
" 11.84	
S 57° W 5.37	
S 65° W 11.14	
S 59° W 4.15	
S 49° W 9.98	
S 56 1/2° W 1.85	Intersect line betw. Sec. 1 & 2, set post from which a Hickory 10 in. diam. bears N 69° E 35 lks. dist. & a Walnut 20 " " " N 22° W 27 " "
South 12.44 1/2	distance across the River. Saturday, November 4, 1820

S 55° W 11.75	In Sec. 2
S 32° W 1.02 1/2	Intersect line betw. Sec. 2 & 11, set post from wh. a Maple 26 in. diam. bears S 58° E 6 lks. dist. & a Do 4 " " " S 77° W 16 " "
East 14.00	distance across the river.

S 63° W 25.76	In Sec. 11
S 77° W 13.13	
S 83° W 17.10	
S 62° W 17.99	
S 65° W 1.15	Intersect line betw. Sec. 10 & 11, set post from wh.

## T. 20 N., R. 9 W. 2. Mer. Ind.

Courses Ch. Ls.

Remarks.

a B. Hawth 6 in. dis. bears S 77 1/2 W 39 lks. dist. 8

a Walnut 20 " " " N 47 1/2 E 75 " "

South 9.99 across River

S 54 W 2.14 In Sec. 10

S 45 W 0.45

S 58 W 5.47

S 49 W 7.53

S 54 W 5.95

S 43 W 10.33

S 33 W 8.12

S 23 W 13.58

S 19 W 7.57

S 13 W 6.11

S 16 W 2.68 Intersect line betw. Sec. 10 &amp; 15, set post from which

a Hackberry 12 in. dis. bears S 9 W 10 lks. dist. 8

a Walnut 20 " " " N 30 1/2 W 12 " "

East 10.22 distance across River.

S 20 W 5.47 In Sec. 15

S 29 W 7.30

S 33 1/2 W 4.89

S 37 W 40.20

S 47 W 12.89

S 16 1/2 W 2.77 Intersect line betw. Sec. 15 &amp; 16, set post from which

a Maple 16 in. dis. bears S 22 W 48 lks. dist. 8

a Hackberry 8 " " " N 52 1/2 E 27 " "

S 46 1/2 W 17.60 In Sec. 16

S 33 1/2 W 4.07

S 34 W 7.50 a Brook 50 lks. wide course NW

" 0.41 to post in Brook from which

a Maple 24 in. dis. bears N 61 W 106 lks. dist. 8

a Dr 5 " " " S 50 W 26 " "

East 11.20 distance across river.



T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind.

Courses	Chs. & Vrs.	Remarks.
S 34 W	1.00	In Sec. 21
S 46 W	8.47	
S 16 W	5.87	
S 10 E	26.89	a Brook 50 Vrs. wide course from W.
"	1.16	
S 20 E	19.03	
S 9 E	15.67	
S 25 E	7.61	Intersect line betw. Sec. 21 & 28, set post from which a Maple 48 in. diam. bears S 78 E 18 Vrs. dist. is a W. Maple 54 " " " S 89 W 50 " "
East	8.86	distance across River
"	2.06	to cor. of sec. 21, 22, 27 & 28

S 25 E	0.90	In Sec. 28
S 37 E	10.17	
S 48 1/2 E	8.25	Intersect line betw. Sec. 27 & 28, set post from which a Maple 42 in. diam. bears S 50 E 33 Vrs. dist. is an Elm 24 " " " S 11 1/2 W 63 " "
North	12.94	distance across the river

S 51 1/2 E	11.79	In Sec. 27
S 40 1/2 E	3.02	
S 33 E	9.35	
S 51 E	10.55	upper point of an Island
S 47 E	13.61	
S 61 1/2 E	6.79	Sunday, November 6. 1820
S 83 E	5.12	
S 67 E	8.92	
S 52 E	5.50	
S 67 E	19.86	
N 80 E	5.65	Intersect line betw. Sec. 26 & 27, set post from wh. a Maple 48 in. diam. bears N 63 W 80 Vrs. dist. is a Do 30 " " " S 63 E 31 " "
North	8.26	distance across River

S 70 E 9.60 In Sec. 26

T. 20 N., R. 9 W. 2<sup>d</sup>. Mer. Ind.

Courses & Cr. Lks.

Remarks.

S 60 E 10.10

S 48 1/2 E 4.40 Intersect line betw. Sec. 20 & 35, set post from which  
a Maple 18 in. diam bears S 3 E 81 Yds. dist. 8  
a Elm 4 " " " N 1 W 18 " "

East 9.98 distance across River.

S 43 E 5.13 In Sec. 35

S 29 E 8.41

S 12 E 8.95

S 15 E 4.82

S 2 1/2 W 18.17

S 14 W 13.75

S 3 W 8.23

S 3 E 7.44

S 6 W 8.75 to post in S. Boundary.

Monday, November 7. 1820

Left bank down stream. Set post in  
E. Boundary from which

a Maple 8 in. diam bears N 2 1/4 W 29 Yds. dist. 8

a Hackberry 36 " " " S 17 E 47 " "

by, or at an original corner post being gone

North 10.95 distance across the River.

S 83 W 15.50 In Sec. 1

S 84 W 15.52

S 44 W 7.37

S 64 W 19.18

S 56 1/2 W 22.92

S 49 W 1.90 Intersect line betw. Sec. 1 & 12, set post from which  
a Willow 12 in. diam bears N 58 W 60 Yds. dist. 8

a Maple 30 " " " S 35 E 49 " "

West 3.14 distance to post in river.

" 8.34 " across the river

S 49 W 3.99 In Sec. 12

## T. D. N., R. G. W. D. Mer. Ind.

Courses &amp; Dist.

Remarks.

S29°W 1.43 Intersect line betw. Sec. 11 & 12, set post from which  
 a Hackberry 15 in. dia. bears N26°E 44 Yds. dist. &  
 a Cottonwood 48 " " " N33°W 44 " "

North 4.05 to post in river

" 12.39 1/2 distance across the river

Monday, November 15, 1820

S60°W 21.78 In Sec. 11

S65°W 10.30

S85°W 6.91

S80°W 6.04

S66°W 1.71

S75°W 12.75

S84 1/2°W 11.09

S65°W 14.62

S62°W 1.41 Intersect line betw. Sec. 10 & 11, set post from which  
 a Cottonwood 15 in. dia. bears S15°E 8 Yds. dist. &  
 a Willow 8 " " " N5 1/2°W 9 " "

S39°W 5.47 In Sec. 10

S49°W 16.46

S48°W 7.80

S25°W 5.83

S13°W 18.98

S47 1/2°W 1.56 Intersect line betw. Sec. 10 & 15, set post from which  
 a Maple 30 in. dia. bears N37°W 18 Yds. dist. &  
 a Elm 36 " " " S32°E 49 " "

S10 1/2°W 5.44 In Sec. 15

S22°W 6.21

S38°W 22.32

S29 1/2°W 16.51

S38°W 23.16

S46 1/2°W 6.19

S40°W 5.14

S48°W 6.22

## T. D. N., R. 9 W. 2. Mer. Ind.

Course Ch. Sp.

Remarks.

S50°W 1.55 Intersect line betw. Sec. 15 & 16, set part from which  
a Sugar 5 in. dia. bears N60°E 8 1/2 M. dist. 8  
a Coffeenut 5 " " " S32 1/2°W 46 " "

S48°W 5.18 In Sec. 16

S37°W 5.03

S42°W 1.20 Intersect line between Sec. 16 & 21, set part from which  
a Buckeye 6 in. dia. bears S46 1/2°W 12 M. dist. 8  
a B. Walnut 5 " " " N69°E 17 " "

S44°W 5.00 In Sec. 21

S37°W 9.28

S16 1/2°W 7.85

S6°E 7.80

S19 1/2°E 7.00

S32°E 10.50

S20°E 3.32

S24 1/2°E 7.11

South 16.24

S20°E 9.26

S34°E 5.14 Intersect line betw. Sec. 21 & 28, set part from wh.  
a Maple 13 in. dia. bears S38°E 51 M. dist. 8  
a Do 6 " " " N35°W 45 " "

S88 1/2°E 3.37 In Sec. 28 - Intersect line between Sec.  
27 & 28, set part from which  
a Maple 10 in. dia. bears S13°E 55 M. dist. 8  
a Do 36 " " " N57°W 36 " "

S47°E 11.80 In Sec. 27

S33°E 7.61

S43°E 20.08

S44°E 9.33

S57°E 4.92

S30°E 22.26

S70°E 10.00



## T. 20 N., R. 9 W. 2. Mer. Ind.

Courses Ch. Ch.

S 80° E 7.83

S 73½° E 2.36

S 68° E 2.84 Intersect line betw. Sec. 26 & 27, set post from which  
 a Hackberry 12 in. diam. bears N 75° W 27 lks. dist. &  
 a Do 7 " " " N 11° E 5 " "

S 71½° E 14.76 In Sec. 26

S 62° E 11.50 a Brook 10 lks. wide course from N E

" 1.71

S 43° E 16.07

S 35° E 1.86 Intersect line betw. Sec. 26 & 35, set post from wh.  
 a Cottonwood 18 in. diam. bears S 23° W 28 lks. dist. &  
 a Hackberry 10 " " " N 24° W 50 " "

S 18° E 25.75 In Sec. 35

S 5° E 10.82

S 14° W 6.22

S 5° W 5.00

S 14° W 8.20

S 10° W 4.43

S 3° W 6.06

S 2° E 3.20 a Brook 8 lks. wide course from N E

" 1.56

S 5° W 4.84

S 10° W 6.05 to post in S. Boundary.

Friday, November 15, 1820.

John Milroy

Dep. Surveyor.

T. 20 N., R. 9 W. 2<sup>d</sup> Mer. Ind.

I certify that the foregoing transcript of Field notes of the survey of Township N. 20 North, in Range N. 9 West of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Sept. 11. 1844 }

William Johnston  
Sur. Genl.